Brain Research, 426 (1987) 407–409
Elsevier

Author Index

Abhold, R.H., See Imboden, H., 225
Agee, J.F., see Sprinkle, T.J., 349
Aiso, M., Potter, W.Z. and Saavedra, J.M., Axonal transport of dopamine D_1 receptors in the rat brain, 392
Anisman, H., see Zacharko, R.M., 164
Anwyl, R., see Lee, W.-L., 250
Arkin, M.S. and Miller, R.F., Subtle effects of 2-amino-4-phosphonobutyrate (APB) on the Off pathway in the mudpuppy retina, 142
Ault, B., Olney, M.A., Joyner, J.L., Boyer, C.E., Notrica, M.A., Soroko, F.E. and Wang, C.M., Pro-convulsant actions of theophylline and caffeine in the hippocampus: implications for the management of temporal lobe epilepsy, 93

Barksdale, C.M., see Kalin, N.H., 385
Barney, C.C., see Katovich, M.J., 55
Barrett, J.A., Shaikh, M.B., Edinger, H. and Siegel, A., The effects of intrahypothalamic injections of norepinephrine upon affective defense behavior in the cat, 381
Beales, M., see Sukin, D., 82
Beart, P.M., see Verberne, A.J.M., 243
Bell, G.A., Laing, D.G. and Panhuber, H., Odour mixture suppression: evidence for a peripheral mechanism in human and rat, 8
Bernstein, J.J. and Goldberg, W.J., Injury-related spinal cord astrocytes are immunoglobulin-positive (IgM and/or IgG) at different time periods in the regenerative process, 112
Borges, L.F., Selective axonal transport of anthracycline antibiotics, 367
Boyer, C.E., see Ault, B., 93
Brandon, C., Cholinergic neurons in the rabbit retina: dendritic branching and ultrastructural connectivity, 119
Brittingham, J., see Haan, E.A., 19
Brodish, A., see O'Steen, W.K., 37
Brownfield, M.S., see Kalin, N.H., 385

Camarota, N.A., see Shapiro, R.M., 323
Carlton, S.M., see Steinman, J.L., 297
Carlton, S.M., Steinman, J.L., Hillman, G.R. and Willis, W.D., Differential effects of *p*-chlorophenylalanine on indoleamines in brainstem nuclei and spinal cord of rats. II. Identification of immunohistochemically stained structures using computer-assisted image enhancement techniques, 310
Carpenter, D.O., see Jahan-Parwar, B., 173
Castorina, M., see Fariello, R.G., 373
Chamberlain, C.R., see Sprinkle, T.J., 349
Chang, H.T., Penny, G.R. and Kitai, S.T., Enkephalinergic-cholinergic interaction in the rat globus pallidus: a pre-embedding double-labeling immunocytochemistry study, 197
Chow, C.W., see Haan, E.A., 19
Christie, M.J., see Verberne, A.J.M., 243
Cohen, H.L., Gootman, P.M., Steele, A.M., Eberle, L.P. and Rao, P.P., Age-related changes in power spectra of efferent phrenic activity in the piglet, 179
Cotton, R.H.G., see Haan, E.A., 19
Crawley, J.N., see Kaltwasser, M.-Th., 1
Csillag, A., see Stewart, M.G., 69
Cuello, A.C., see Haan, E.A., 19

DeMattei, M., see Fariello, R.G., 373
De Vries, G.H., see Sprinkle, T.J., 349
Dunwiddie, T.V., see Proctor, W.R., 187

Eberle, L.P., see Cohen, H.L., 179
Edinger, H., see Barrett, J.A., 381
Evans, M.L., see Jahan-Parwar, B., 173

Faguet, G.B., see Sprinkle, T.J., 349
Fang, J., see Inase, M., 205
Fariello, R.G., DeMattei, M., Castorina, M., Ferraro, T.N. and Golden, G.T., MPTP and convulsive responses in rodents, 373
Felix, D., see Imboden, H., 225
Ferraro, T.N., see Fariello, R.G., 373
Frankfurt, M., see Luine, V.N., 47
Fujisama, H., see Haan, E.A., 19

Gage, F.H., see Shults, C.W., 290
Gall, C.M., see Hunt, C.A., 257
Ganten, D., see Imboden, H., 225
Gebhart, G.F., see Ness, T.J., 169
Geffard, M., Touret, M. and Kitahama, K., First characterization of 5-hydroxytryptophan in rat brain by using specific antibodies, 191
Glick, S.D., see Shapiro, R.M., 323
Goldberg, W.J., see Bernstein, J.J., 112
Golden, G.T., see Fariello, R.G., 373
Gootman, P.M., see Cohen, H.L., 179

Haan, E.A., Jennings, I.G., Cuello, A.C., Nakata, H., Fujisama, H., Chow, C.W., Kushinksy, R., Brittingham, J. and Cotton, R.G.H., Identification of serotonergic neurons in human brain by a monoclonal antibody binding to all three aromatic amino acid hydroxylases, 19
Haber, B., see Steinman, J.L., 297
Harding, J.W., see Imboden, H., 225
Hendry, S.H.C., see Molinari, M., 270
Hillman, G.R., see Carlton, S.M., 310
Hunt, C.A., Seroogy, K.B., Gall, C.M. and Jones, E.G., Cholecystokinin innervation of rat thalamus, including fibers to ventroposterolateral nucleus from dorsal column nuclei, 257

Imboden, H., Harding, J.W., Abhold, R.H., Ganten, D. and Felix, D., Improved immunohistochemical staining of angiotensin II in rat brain using affinity purified antibodies, 225
Inase, M., Nakahama, H., Otsuki, T. and Fang, J., Analgesic effects of serotonin microinjection into nucleus raphe magnus and nucleus raphe dorsalis evaluated by the monosodium urate (MSU) tonic pain model in the rat, 205

Jahan-Parwar, B., S.-Rozsa, K., Salanki, J., Evans, M.L. and Carpenter, D.O., In vivo labeling of serotonin-containing

neurons by 5,7-dihydroxytryptamine in *Aplysia*, 173
Jarrott, B., see Verberne, A.J.M., 243
Jennings, I.G., see Haan, E.A., 19
Johnston, P., see Shults, C.W., 290
Jones, E.G., see Hunt, C.A., 257
Jones, E.G., see Molinari, M., 270
Jones, S.L., see Ness, T.J., 169
Joyner, J.L., see Ault, B., 93
Juorio, A.V., Walz, W. and Sloley, B.D., Absence of decarboxylation of some aromatic L-amino acids by cultured astrocytes, 183

Kalin, N.H., Shelton, S.E., Barksdale, C.M. and Brownfield, M.S., A diurnal rhythm in cerebrospinal fluid corticotrophin-releasing hormone different from the rhythm of pituitary–adrenal activity, 385
Kaltwasser, M.-Th. and Crawley, J.N., Oxytocin and cholecystokinin induce grooming behavior in the ventral tegmentum of the rat, 1
Kasian, M., see Zacharko, R.M., 164
Katovich, M.J., Simpkins, J.W. and Barney, C.C., α-Adrenergic mediation of the tail skin temperature response to naloxone in morphine-dependent rats, 55
Keen, P., see Robinson, J.P., 339
Kicliter, E., see Lugo-Garcia, N., 131
Kitahama, K., see Geffard, M., 191
Kitai, S.T., see Chang, H.T., 197
Knöpfel, T., Evidence for *N*-methyl-D-aspartic acid receptor-mediated modulation of the commissural input to central vestibular neurons of the frog, 212
Kushinksy, R., see Haan, E.A., 19

Laing, D.G., see Bell, G.A., 9
Lalonde, G.T., see Zacharko, R.M., 164
Lautens, L.L. and Ruoho, A.E., Photoaffinity labeling of the β-adrenergic receptor in synaptic membranes of rat cerebral cortex and cerebellum, 401
Lavoie, P.-A., see Mekhail-Ishak, K., 62
Lee, W.-L., Anwyl, R. and Rowan, M., Caffeine inhibits post-tetanic potentiation but does not alter long-term potentiation in the rat hippocampal slice, 250
Lewis, S.J., see Verberne, A.J.M., 243
Lorden, J.F., see Sukin, D., 82
Louis, W.J., see Verberne, A.J.M., 243
Lugo-Garcia, N. and Kicliter, E., Superior colliculus efferents to five subcortical visual system structures in the ground squirrel, 131
Luine, V.N., Thornton, J.E., Frankfurt, M. and MacLusky, N.J., Effects of hypothalamic serotonin depletion on lordosis behavior and gonadal hormone receptors, 47

MacLusky, N.J., see Luine, V.N., 47
Marsden, C.A., see Routledge, C., 103
McGeer, E.G., see Mizukawa, K., 28
McGeer, P.L., see Mizukawa, K., 28
Mekhail-Ishak, K., Lavoie, P.-A. and Sharkawi, M., Effects of caffeine and cyclic adenosine 3′,5′-monophosphate on adenosine triphosphate-dependent calcium uptake by lysed brain synaptosomes, 62
Miklossy, J. and Van der Loos, H., Cholesterol ester crystals in polarized light show pathways in the human brain, 377
Miller, R.F., see Arkin, M.S., 142
Mizukawa, K., McGeer, P.L., Vincent, S.R. and McGeer, E.G., The distribution of somatostatin-immunoreactive neurons and fibers in the rat cerebral cortex: light and electron microscopic studies, 28
Molinari, M., Hendry, S.H.C. and Jones, E.G., Distributions of certain neuropeptides in the primate thalamus, 270
Moore, R.Y., see Shibata, S., 332
Mulder, A.H., see Radhakishun, F.S., 235

Nakahama, H., see Inase, M., 205
Nakata, M., see Haan, E.A., 19
Ness, T.J., Jones, S.L. and Gebhart, G.F., Contribution of the site of heating to variability in the latency of the rat tail flick reflex, 169
Newman, G.C., see Shibata, S., 332
Notrica, M.A., see Ault, B., 93

Oliver, J.R., see Reiner, A., 149
Olney, M.A., see Ault, B., 93
Oltman, G.A., see Sukin, D., 82
O'Steen, W.K., Sweatt, A.J. and Brodish, A., Effects of acute and chronic stress on the neural retina of young, mid-age, and aged Fischer-344 rats, 37
Otsuki, T., see Inase, M., 205

Panhuber, H., see Bell, G.A., 8
Parent, A. and Smith, Y., Differential dopaminergic innervation of the two pallidal segments in the squirrel monkey (*Saimiri sciureus*), 397
Penny, G.R., see Chang, H.T., 197
Potter, W.Z., see Aiso, M., 392
Proctor, W.R. and Dunwiddie, T.V., Pre- and postsynaptic actions of adenosine in the in vitro rat hippocampus, 187

Radhakishun, F.S., Stoof, J.C., Mulder, A.H., Versteeg, D.H.G. and Van Ree, J.M., The neuroleptic-like peptide desenkephalin-γ-endorphin does not antagonize the dopamine receptor agonist-induced inhibition of the release of [^{3}H]dopamine from rat nucleus accumbens slices in vitro, 235
Rao, P.P., see Cohen, H.L., 179
Reiner, A. and Oliver, J.R., Somatostatin and neuropeptide Y are almost exclusively found in the same neurons in the telencephalon of turtles, 149
Robinson, J.P., Willars, G.B., Tomlinson, D.R. and Keen, P., Axonal transport and tissue contents of substance P in rats with long-term streptozotocin-diabetes. Effects of the aldose reductase inhibitor 'Statil', 339
Rose, S.P.R., see Stewart, M.G., 69
Routledge, C. and Marsden, C.A., Comparison of the effects of selected drugs on the release of hypothalamic adrenaline and noradrenaline measured in vivo, 103
Rowan, M., see Lee, W.-L., 250
Ruoho, A.E., see Lautens, L.L., 401

Saavedra, J.M., see Aiso, M., 392
Sagar, S.M., Vasoactive intestinal polypeptide (VIP) immunohistochemistry in the rabbit retina, 157
Salanki, J., see Jahan-Parwar, B., 173
Seroogy, K.B., see Hunt, C.A., 257
Shaikh, M.B., see Barrett, J.A., 381
Shapiro, R.M., Glick, S.D. and Camarota, N.A., A two-population model of rat rotational behavior: effects of unilateral nigrostriatal 6-hydroxydopamine on striatal neurochemistry and amphetamine-induced rotation, 323
Sharkawi, M., see Mekhail-Ishak, K., 62

Shelton, S.E., see Kalin, N.H., 385
Shibata, S., Newman, G.C. and Moore, R.Y., Effects of calcium ions on glucose utilization in the rat suprachiasmatic nucleus in vitro, 332
Shults, C.W., Johnston, P. and Gage, F.H., Comparison of substance K-like and substance P-like fibers and cells in the rat hippocampus, 290
Siegel, A., see Barrett, J.A., 381
Simpkins, J.W., see Katovich, M.J., 55
Skedros, D.G., see Sukin, D., 82
Sloley, B.D., see Juorio, A.V., 183
Smith, Y., see Parent, A., 397
Soroko, F.E., see Ault, B., 93
Sprinkle, T.J., Agee, J.F., Tippins, R.B., Chamberlain, C.R., Faguet, G.B. and De Vries, G.H., Monoclonal antibody production to human and bovine 2′:3′-cyclic nucleotide 3′-phosphodiesterase (CNPase): high-specificity recognition in whole brain acetone powders and conservation of sequence between CNP1 and CNP2, 349
S.-Rozsa, K., see Jahan-Parwar, B., 173
Steele, A.M., see Cohen, H.L., 179
Steinman, J.L., Carlton, S.M., Haber, B. and Willis, W.D., Differential effects of *p*-chlorophenylalanine on indoleamines in brainstem nuclei and spinal cord of rats. I. Biochemical and behavioral analysis, 297
Steinman, J.L., see Carlton, S.M., 310
Stewart, M.G., Csillag, A. and Rose, S.P.R., Alterations in synaptic structure in the paleostriatal complex of the domestic chick, *Gallus domesticus*, following passive avoidance training, 69
Stoof, J.C., see Radhakishun, F.S., 235
Stratton, S.E., see Sukin, D., 82
Sukin, D., Skedros, D.G., Beales, M., Stratton, S.E., Lorden, J.F. and Oltmans, G.A., Temporal sequence of motor disturbances and increased cerebellar glutamic acid decarboxylase activity following 3-acetylpyridine lesions in adult rats, 82
Sweatt, A.J., see O'Steen, W.K., 37

Takata, M. and Tomomune, N., Properties of stereotyped series of postsynaptic potentials in hypoglossal motoneurons, 358
Thornton, J.E., see Luine, V.N., 47
Tippins, R.B., see Sprinkle, T.J., 349
Tomlinson, D.R., see Robinson, J.P., 339
Tomomune, N., see Takata, M., 358
Touret, M., see Geffard, M., 191

Van der Loos, H., see Miklossy, J., 377
Van Ree, J.M., see Radhakishun, F.S., 235
Verberne, A.J.M., Lewis, S.J., Worland, P.J., Beart, P.M., Jarrott, B., Christie, M.J. and Louis, W.J., Medial prefrontal cortical lesions modulate baroreflex sensitivity in the rat, 243
Versteeg, D.H.G., see Radhakishun, F.S., 235
Vincent, S.R., see Mizukawa, K., 28

Walz, W., see Juorio, A.V., 183
Wang, C.M., see Ault, B., 93
Willars, G.B., see Robinson, J.P., 339
Willis, W.D., see Carlton, S.M., 310
Willis, W.D., see Steinman, J.L., 297
Worland, P.J., see Verberne, A.J.M., 243

Zacharko, R.M., Lalonde, G.T., Kasian, M. and Anisman, H., Strain-specific effects of inescapable shock on intracranial self-stimulation from the nucleus accumbens, 164